


Summary results for HLA-B in Q08



Sample size: 104

Estimated heterozygosity: 0.9327

Hardy–Weinberg equilibrium test p–value: 1

Ewens–Watterson–Slatkin neutrality test: FDR p.adj min: 0.272 max: 0.850

There are 6 low frequency alleles or haplotypes not shown above.

Follows the complete list of alleles, including those with lower and null frequencies not shown before.

	Allele or Haplotype Name	Frequency Estimate
1	B*51:05	0.0048
2	B*52:01	0.0048
3	B*39:06	0.0048
4	B*44:04	0.0048
5	B*57:03	0.0048
6	B*42:02	0.0048
7	B*15:03	0.0048
8	B*58:02	0.0048
9	B*56:01	0.0048
10	B*81:01	0.0048
11	B*44:27	0.0048
12	B*53:01	0.0048
13	B*14:01	0.0048
14	B*15:10	0.0048
15	B*37:01	0.0096
16	B*35:02	0.0096
17	B*41:02	0.0096
18	B*15:18	0.0096
19	B*58:01	0.0096
20	B*39:24	0.0096
21	B*15:17	0.0096
22	B*57:02	0.0096
23	B*40:02	0.0096
24	B*50:01	0.0096
25	B*13:02	0.0144
26	B*35:03	0.0144
27	B*38:01	0.0192
28	B*55:01	0.0240
29	B*39:01	0.0240
30	B*57:01	0.0240
31	B*15:01	0.0385
32	B*51:01	0.0385
33	B*27:05	0.0385
34	B*44:02	0.0385
35	B*40:01	0.0385
36	B*18:01	0.0433

	Allele or Haplotype Name	Frequency Estimate
37	B*49:01	0.0433
38	B*35:01	0.0481
39	B*14:02	0.0577
40	B*44:03	0.0673
41	B*08:01	0.0721
42	B*07:02	0.1923